




Hydraulic Punching and Notching machine



HPM-63S

Hydraulic Punching and Notching machine



	HPM-63S
Punching power	16 Ton
Table dimension	277 x 90
Throat depth	63 cm
Max. Dies dimension	133 ϕ - 130 x 110 $\square$
Hydraulic system	double acting cylinder
Engine	3PH/ 3KW/ 1400 rpm
Electric motor	380 V/ 50 HZ/ 10A
Total weight	approx 900 kg
Hole center finder	Laser pointer
Punch stroke	70 mm adjustable
Oil quantity	25 liter

Hydraulic Punching and Notching machine is capable of punching holes on steel up to 2mm thickness

Low price, high efficiency and variety dies facilitate the work with this machine

Usable for electrical panel, elevators factory, extractor industries and...

Fast switching dies facilitate work with this machine

This machine has a very strong body and boosted in order to avoid continual leap

Laser pointer helps to find center of holes easily and punching with high speed

Ability punching types of round holes, square, rectangle, Louvre, form and special shapes

Digital ruler indicator for X and Y axes (optional)



Handy lock in Y axis for series holes in a line

Making special dies by order.

HPM-63S

Table of Dies type and application

Description	Size
Round dies	10 Ø
	12 Ø
	15 Ø
	20 Ø
	22 Ø
	PG13 Ø
	PG16 Ø
Round dies	30.5 Ø
	36 Ø
	PG21 Ø
	PG29 Ø
Round dies	PG36 Ø
	PG42 Ø
	PG48 Ø
Square dies	22 x 22
Square dies	45 x 45
Square dies	60 x 60
Square dies (curved edge)	52 x 52 (A16 Key)
Square dies (curved edge)	76 x 76 (A25 Key)
Square dies (curved edge)	106 x 106 (A40 Key)
Square dies	92 x 92 (Ampere meter)
Square dies	46 x 18.5 (single phase miniature)
Square dies	46 x 36 (2 phase miniature)
Square dies	46 x 54 (tri phase miniature)
dies	Key lock
dies	120 x 90
dies	Louvre
dies	notching die
dies	Cable tray





web site | www.payapress.com
Email | sales@payapress.com

